



Drink Pure **N** Fresh Water



RO System



CATALOGUE



Corporate Off.: A-34/2, Hazira Magdalla Road,
Ichhapore-GIDC, Ichhapore, Surat-394510

Sales Off.: Ahmedabad : +91 9377780971

Surat : +91 9377787251 ,

Secunderabad : +91 8019256251

• OPENFLOW 6 STAGE UV+UF



PURIFICATION STAGES : 6 Stages

WEIGHT : 8 kg

PURIFICATION CAPACITY : 30 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block , GAC,
UV, UF & Post Carbon

MEMBRANE TYPE : Ultrafiltration Membrane

PURIFICATION TECHNOLOGY : UV+UF

DIMENSION (L-B-H) : 40-20-49





100 LPH RO SYSTEM WITH PRESSURE TANK FOR IONIZER

02



PURIFICATION STAGES : 5 Stages

WEIGHT : 20 kg

PURIFICATION CAPACITY : 100 LPH*

FILTER CARTRIDGE : Wound, Sediment, Carbon
Block, RO Membrane & Post Carbon

MEMBRANE TYPE : 300G Wellon Mem.
(Korean make)

PURIFICATION TECHNOLOGY : RO + TDS

DIMENSION (L-B-H) : 64-40-50

- **100 LPH WHITE
RO SYSTEM**

03

PURIFICATION STAGES : 5 Stages

WEIGHT : 18 kg

PURIFICATION CAPACITY : 100 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block, GAC,
RO & Post Carbon

MEMBRANE TYPE : 100GPD X 6 Mem.
(Made in Korea)

PURIFICATION TECHNOLOGY : RO+TDS

DIMENSION (L-B-H) : 64-40-50





15 LPH RO+UV+ALKALINE OPENFLOW

PURIFICATION STAGES : 6 Stages

WEIGHT : 8 kg

PURIFICATION CAPACITY : 15 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block, GAC,
RO, UV, Alkaline

MEMBRANE TYPE : 100 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO + UV + Alkaline

DIMENSION (L-B-H) : 46-19-35





Wellon 100 L Commercial



05



PURIFICATION STAGES : 5 Stages

WEIGHT : 18 kg

PURIFICATION CAPACITY : 100 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block, GAC,
RO & Post Carbon

MEMBRANE TYPE : 100GPD X 6 Mem.
(Made in Korea)

PURIFICATION TECHNOLOGY : RO+TDS

DIMENSION (L-B-H) : 70-40-53



Wellon 150 L Commercial



PURIFICATION STAGES : 5 Stages

WEIGHT : 21 kg

PURIFICATION CAPACITY : 150 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block, GAC,
RO & Post Carbon

EMBRANE TYPE : 100GPD X 8 Mem.(Made in Korea)

PURIFICATION TECHNOLOGY : RO+TDS

DIMENSION (L-B-H) : 70-40-53



• UV+UF Undersink



07

PURIFICATION STAGES : 6 Stages

WEIGHT : 11 kg

PURIFICATION CAPACITY : 30 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block , GAC,
UV, UF & Post Carbon

MEMBRANE TYPE : Ultrafiltration Membrane

PURIFICATION TECHNOLOGY : UV+UF

DIMENSION (L-B-H) : 40-23-35





UV+UF+Alkaline Undersink



PURIFICATION STAGES : 6 Stages

WEIGHT : 11 kg

PURIFICATION CAPACITY : 30 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block , GAC,
UV, UF & Post Carbon

MEMBRANE TYPE : Ultrafiltration Membrane

PURIFICATION TECHNOLOGY : UV + UF + Alkaline

DIMENSION (L-B-H) : 40-23-35

- **40 LPH SS RO SYSTEM +
11 liters in-built pressure
storage water tank +
TDS CONTROLLER**

09

PURIFICATION STAGES : 5 Stages
WEIGHT : 14 kg
PURIFICATION CAPACITY : 40 LPH*
FILTER CARTRIDGE : Sediment, Carbon Block , GAC,
RO & Post Carbon
MEMBRANE TYPE : Ultrafiltration Membrane
PURIFICATION TECHNOLOGY : RO
DIMENSION (L-B-H) : 55-29-50





25L Commercial



MAX DUTY CYCLE : 150 L / Day

PURIFICATION STAGES : 7 Stages

WEIGHT : 12.8 kg

PURIFICATION CAPACITY : 25 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS

DIMENSION (L-B-H) : 46-29-50

- **40 L**
Commercial



17

STORAGE CAPACITY : 12-14 Liter

MAX DUTY CYCLE : 300 L / Day

PURIFICATION STAGES : 7 Stages

WEIGHT : 11.5 kg

PURIFICATION CAPACITY : 40 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 300 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS+ALKALINE

DIMENSION (L-B-H) : 50-25-37





50 L Commercial



12



MAX DUTY CYCLE : 300 L / Day

PURIFICATION STAGES : 7 Stages

WEIGHT : 19.2 kg

PURIFICATION CAPACITY : 50 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80X4 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS

DIMENSION (L-B-H) : 76-25-45

70 L

Commercial



MAX DUTY CYCLE : 300 L / Day

PURIFICATION STAGES : 7 Stages

WEIGHT : 13 kg

PURIFICATION CAPACITY : 70 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS

DIMENSION (L-B-H) : 76-25-45



Compact

...



STORAGE CAPACITY : 8 Litre

MAX DUTY CYCLE : 80 L / Day

PURIFICATION STAGES : 7 Stages

WEIGHT : 8.5 kg.

PURIFICATION CAPACITY : 12 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS

DIMENSION (L-B-H) : 37-33-48



Diamond

STORAGE CAPACITY : 8 Litre

MAX DUTY CYCLE : 80 L / Day

PURIFICATION STAGES : 7 Stages

WEIGHT : 8.8 kg.

PURIFICATION CAPACITY : 12 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS

DIMENSION (L-B-H) : 37-31-47



... Dynamic



STORAGE CAPACITY : 8 Litre

MAX DUTY CYCLE : 80 L / Day

PURIFICATION STAGES : 7 Stages

WEIGHT : 8 kg.

PURIFICATION CAPACITY : 12 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS

DIMENSION (L-B-H) : 36-32-48





Elegant

...



STORAGE CAPACITY : 8 Litre

MAX DUTY CYCLE : 80 L / Day

PURIFICATION STAGES : 7 Stages

WEIGHT : 8.8 kg.

PURIFICATION CAPACITY : 12 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS

DIMENSION (L-B-H) : 43-32-51



Life 4 Stage ...



PURIFICATION STAGES : 4 Stages (Non Electric)

WEIGHT : 3.6 kg.

PURIFICATION CAPACITY : 20 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : Sediment+carbon+UF

DIMENSION (L-B-H) : 40-20-35

• Nova

STORAGE CAPACITY : 12 Litre

MAX DUTY CYCLE : 100 L / Day

PURIFICATION STAGES : 7 Stages

WEIGHT : 9 kg.

PURIFICATION CAPACITY : 15 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS

DIMENSION (L-B-H) : 43-28-55





COMPACT UV SYSTEM



PURIFICATION STAGES : 4 Stages (Non Electric)

WEIGHT : 5 kg.

PURIFICATION CAPACITY : 20 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : Sediment+carbon+UV

DIMENSION (L-B-H) : 33-11-31



Hydrogen Water • Purifier

20



PURIFICATION STAGES : 4 Stages (Non Electric)

WEIGHT : 5 kg.

PURIFICATION CAPACITY : 20 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : Sediment+carbon+UV

DIMENSION (L-B-H) : 33-11-31

• Open Flow



21

PURIFICATION STAGES : 7 Stages

WEIGHT : 8 kg.

PURIFICATION CAPACITY : 12 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS

DIMENSION (L-B-H) : 40-20-49



- # Open Flow Alkaline



PURIFICATION STAGES : 7 Stages

WEIGHT : 8 kg.

PURIFICATION CAPACITY : 12 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS+ALKALINE

DIMENSION (L-B-H) : 40-20-49

Purance



23



STORAGE CAPACITY : 12 Litre

MAX DUTY CYCLE : 80 L / Day

PURIFICATION STAGES : 7 Stages

WEIGHT : 11 kg.

PURIFICATION CAPACITY : 15 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Alkaline

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS+ALKALINE

DIMENSION (L-B-H) : 47-34-56

• Touchix



24

STORAGE CAPACITY : 8 Litre

MAX DUTY CYCLE : 80 L / Day

PURIFICATION STAGES : 7 Stages

WEIGHT : 8.7 kg.

PURIFICATION CAPACITY : 12 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Post Carbon

MEMBRANE TYPE : 80 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+UV+UF+TDS

DIMENSION (L-B-H) : 43-32-51





RO+ALKALINE HOT WATER PURIFIER

...

25



STORAGE CAPACITY : 2 Litre

MAX DUTY CYCLE : 30 ltr/hr

PURIFICATION STAGES : 7 Stages

WEIGHT : 14 kg.

PURIFICATION CAPACITY : 25 LPH*

FILTER CARTRIDGE : Sediment, Carbon Block Filter,
& Alkaline

MEMBRANE TYPE : 100 GPD Mem. (Made in Korea)

PURIFICATION TECHNOLOGY : RO+Alkaline

DIMENSION (L-B-H) : 55-25-38



Platinum 7-Stage RO+UV+UF High Capacity Water Purifier.

26

- **7-Stage Filtration Process**

1. Sediment Filter
2. Pre- Carbon Filter
3. Post- Carbon Filter
4. RO Membrane
5. UF Membrane
6. UV Sterilization
7. Mineral Cartridge

- **10-Litre Storage Tank**
- **Alkaline Boost Technology**
- **Sleek and Durable Build**
- **Compact Wall-Mounted Design**





Wellon Gold 6-Stage Essential Water Purifier.

...

27



- **6-Stage Filtration Process**
 1. **Sediment Filter**
 2. **Pre-Carbon Filter**
 3. **RO Membrane**
 4. **Post-Carbon Filter**
 5. **UV Sterilization.**
 6. **Copper Enrichment**
- **9-Litre Storage Tank**
- **Space-Saving Design**
- **Simple and Practical Construction**

UV PRO 500 UV Purification System


Pure Water

(Not Suitable for Borewell or tanker water)



28

- **4-Stage Advanced Filtration:** Equipped with Sediment, Carbon, UV, and Alkaline filters to Ensure Comprehensive Purification.
- **Ideal for Municipal Water:** Optimized for Water with TDS Levels under 200, Making it Perfect for Areas with Pre-Treated Water Supply.
- **Effective UV Sterilization:** The UV Stage Eliminates Harmful Bacteria & Viruses, Ensuring Safe Drinking Water Without the Use of Chemicals.
- **Enhanced Alkaline Technology:** Adds Essential Minerals Back into the Water, Balancing pH Levels and Providing Refreshing, Healthy Hydration.
- **Compact & Stylish Design:** Easily Fits in your Kitchen While Adding a Touch of Elegance to your Water Purification Setup.
- **Easy Maintenance:** Designed for Quick Filter Replacements, Saving Time & Minimizing Service Costs.





Phone number

+91 93778 87251 , +91 93775 87251

Contact Us

For questions or concerns

Email Address

newtechroindia@gmail.com

Website

www.newtechro.com

